




STAY FOCUSED ON THE RIDE.



- 8 HALO TOUCH
- 16 GRIND TOUCH
- 18 LEATHER TOUCH
- 38 SILICONE TOUCH
- 40 3D CARBON TOUCH
- 42 VELVET TOUCH
- 46 SUEDE TOUCH
- 47 LOCK-IN BAR END PLUGS

- 50 TRAIL WRAP TAPED GRIP
- 57 HAND GRIP
- 62 YOUTH RAD WRAP GRIP
- 64 YOUTH RAD WRAP KIT
- 66 WRAP TAPE

CONTENT



70	TAI CHI BOTTLE CAGE
72	TUBELESS READY
76	DISC BRAKE PAD
82	RIM BRAKE PAD
86	CABLE SET
92	INNER CABLE
106	OUTER CASING

114	DISPENSER
116	END CAP
119	OTHER

OUR CORE VALUES - PERFORMANCE, CONVENIENCE, INNOVATION

CICLOVATION™, the emergent brand from Huang's Smart Cycling, Inc., is dedicated to offering a comprehensive, one-stop solution for premium, high performance bicycle products that are competitively priced.

CICLOVATION™ - pronounced 'si-klo-va-shun' - embodies innovative products that improve usability.

Our name says it all - C stands for CONSISTENCY while V stands for VALUE. With C and V united in our brand, we focus on maximizing these factors that are paramount to our customers.

PHILOSOPHY - PROFESSIONAL GRADE PERFORMANCE DELIVERED WITH MAXIMAL VALUE

These are the uncompromising details that elevate enjoyment and performance with every ride. Not only do we care about the rider experience, we also focus on the technician who utilizes our products to offer improved service, safety and reliability. We constantly strive to offer the most innovative designs working to meet the highest demands that define premium products.





DISC BRAKE PAD

RIM BRAKE PAD

CABLE SET

INNER CABLE

OUTER CASING

04


COMPONENT ACCESSORY



BAR TAPE

Bar tape available in a multitude of materials, textures and colors to fit every rider's body and style

PERFORMANCE COMPARISON



- Silicone Touch

Halo Touch

Grind Touch
- Velvet Touch

Leather Touch

Suede Touch

Performance / Bar Tape Type	Silicone Touch	Halo Touch	Grind Touch	Velvet Touch	Leather Touch	Suede Touch
Comfort	8	8	9	10	10	7
Grip	10	7	10	9	9	5
Control	10	9	10	10	8	5
Weather Resistance	10	9	9	7	7	7
Recovery	10	5	7	5	6	4
Recommended Riding	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>RACING</div></div><div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>CLIMBING</div></div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>RACING</div></div><div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>CLIMBING</div></div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>RACING</div></div><div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>CLIMBING</div></div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>RACING</div></div><div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>CLIMBING</div></div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>RACING</div></div><div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>CLIMBING</div></div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>RACING</div></div><div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>CLIMBING</div></div></div></div>
	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>TOURING</div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>TOURING</div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>TOURING</div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>TOURING</div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>TOURING</div></div></div>	<div><div><div><div></div><div></div><div></div><div></div><div></div></div><div>TOURING</div></div></div>



PREMIUM
HALO TOUCH
IRRADIANT VIOLET

1 Uniquely formulated synthetic Halo Touch surface with prismatic irradient violet texture sure to turn heads while improving grip and providing all-out performance

2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue

5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Halo Touch - Irradiant Violet



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR




3620.26614



BAR TAPE

- 1 Uniquely formulated synthetic Halo Touch surface with prismatic blooming red texture sure to turn heads while improving grip and providing all-out performance
- 2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment
- 3 Multi-layer, multi-density foam laminates effectively absorb shock, dampens vibration and minimizes fatigue



- 4 Reusable, expanding locking bar plugs are reliable and resistance to falling out
- 5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Halo Touch - Blooming Red



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



3620.26612

1 Uniquely formulated synthetic Halo Touch surface with prismatic gold mine texture sure to turn heads while improving grip and providing all-out performance

2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Multi-layer, multi-density foam laminates effectively absorb shock, dampens vibration and minimizes fatigue

5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Halo Touch - Gold Mine



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



3620.26613



PREMIUM HALO TOUCH RAINBOW

1 Uniquely formulated synthetic Halo Touch surface with prismatic rainbow texture sure to turn heads while improving grip and providing all-out performance

2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue

5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Halo Touch - Rainbow



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



3620.26605

PREMIUM HALO TOUCH STORM



1 Uniquely formulated synthetic Halo Touch surface with prismatic storm texture sure to turn heads while improving grip and providing all-out performance

2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue



5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Halo Touch - Storm



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



3620.26604



BAR TAPE



ADVANCED
GRIND TOUCH



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■■
TOURING


Advanced

Grind Touch



Material Grind Touch, Rubber with Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



PREMIUM LEATHER TOUCH GALAXY



PERFORMANCE

■ ■ ■ ■ ■ ■

RACING

■ ■ ■ ■ ■ ■

CLIMBING

■ ■ ■ ■ ■ ■

TOURING

Premium

Leather Touch - Galaxy



Material	Leather Touch, PU with Gel padded
Length	2000 mm
Width	30 mm
Thickness	3 mm
Plug	UFO, Lock-in
Finish Tape	Included

COLOR



3620.22701



ADVANCED LEATHER TOUCH GAMMA



PERFORMANCE

RACING

CLIMBING

TOURING

Advanced

Leather Touch - Gamma



Material Leather Touch, Organic Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug VORTEX, Lock-in
Finish Tape Included

COLOR



3620.26609





PREMIUM
LEATHER TOUCH
BLACK DIAMOND



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Leather Touch - Black Diamond



Material
Length
Width
Thickness
Plug
Finish Tape

Leather Touch, PU with Organic-Gel padded
2000 mm
30 mm
3 mm
UFO, Lock-in
Included

COLOR



3620.26601



PREMIUM LEATHER TOUCH RAINFOREST



PERFORMANCE

★★★★★
RACING

★★★★★
CLIMBING

★★★★□
TOURING

Premium

Leather Touch - Rainforest



Material
Length
Width
Thickness
Plug
Finish Tape

Leather Touch, PU with Organic-Gel padded
2000 mm
30 mm
3 mm
UFO, Lock-in
Included

COLOR



3620.22603



3620.22602



3620.22601



ADVANCED LEATHER TOUCH MAGMA





PERFORMANCE

■ ■ ■ ■ ■
 RACING

■ ■ ■ ■ ■
 CLIMBING

■ ■ ■ ■ ■
 TOURING

Advanced

Leather Touch - Magma




Material Leather Touch, PU with Organic-Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR

■ 3620.26606
■ 3620.26607
■ 3620.26608



ADVANCED LEATHER TOUCH AURORA



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■■
TOURING

Advanced

Leather Touch - Aurora



Material

Length

Width

Thickness

Plug

Finish Tape

Leather Touch, PU with Organic-Gel padded

2000 mm

30 mm

3 mm

UFO, Lock-in

Included

COLOR



3620.26603



3620.26602




ADVANCED LEATHER TOUCH FUSION SERIES

1 Uniquely formulated synthetic leather is anti-slip with high tensile strength for long-term performance

3 Available in new graduated color fades to add even more style and personalization to your bike

2 Reusable GEL pad is vibration damping and shock absorbing to minimize fatigue and strain due to real-world riding conditions



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■■
TOURING

Advanced

Leather Touch - Fusion Color



Material Leather Touch, PU with Smart-Gel padded
Length 2000 mm
Width 30 mm
Thickness 3.0 mm
Plug Lock-in
Finish Tape Included



BAR TAPE

FUSION COLOR



3620.22315
Fusion Metallic Gold



3620.22316
Fusion Metallic Silver



3620.22317
Fusion Red



3620.22318
Fusion Pink



3620.22319
Fusion White



3620.22320
Fusion Metallic Gray



3620.22321
Fusion Blue



3620.22322
Fusion Orange



3620.22323
Fusion Neon Green



3620.22324
Fusion Neon Yellow



3620.22325
Fusion Black



3620.22327
Fusion Yellow



3620.22328
Fusion Turquoise



3620.22334
Shooting Star / Red & White



3620.22332
Fusion Glacier Glow

Uniquely formulated synthetic leather printed with reflective material in fusion graphic texture at drop bar area for superb visibility and handling performance



Reflected with illumination

SHINNING METALLIC



3620.22329
Chameleon Phoenix Red



3620.22330
Chameleon Amber Green



3620.22335
Chameleon Violet Purple



3620.22337
Candy Apple Red



3620.22338
Sapphire Blue



3620.22339
Sunburst Orange



3620.22340
Satin Silver



3620.22341
Amethyst Purple



3620.22342
Envy Green



DISC BRAKE PAD

RIM BRAKE PAD

CABLE SET

INNER CABLE

OUTER CASING

04 COMPONENT ACCESSORY

BAR TAPE

- 1 2D carbon pattern with polyurethane layer is anti-slip with high tensile strength



- 2 Organic GEL pad prevents adhesive residue

- 3 Reusable, expanding locking bar plugs and highly elastic finishing tapes

PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■■
TOURING

Advanced

Leather Touch - 2D Carbon



Anti-Slip

Ultra-Comfort

Material Leather Touch, PU with Organic Gel padded
Length 2000 mm
Width 30 mm
Thickness 3.0 mm
Plug Lock-in
Finish Tape Included

COLOR



3620.22343



PERFORMANCE



RACING



CLIMBING



TOURING

Advanced

Leather Touch -
Solid Color



Material	Leather touch with Smart-Gel padded
Length	2000 mm
Width	30 mm
Thickness	3.0 mm
Plug	Lock-in
Finish Tape	Included

COLOR



3620.22301



• 10 Sets (Black) -
3620.22310

Plugs are not included
with workshop box

PREMIUM SILICONE TOUCH

3 Anti-UV, heat proof, and washable features help our Silicon Touch tape last longer - a perfect solution for high intensity usage such as climbing, sprinting, and cyclocross

1 Tire pattern improves anti-slip, water resistance and gripping performance

2 Silicon's natural grip properties means no backing adhesive is needed allowing for multiple re-wraps without leaving residue on the handlebars



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Silicone Touch



Material Medical grade silicone, without adhesive
Length 2000 mm
Width 30 mm
Thickness 2.6 mm
Plug Lock-in
Finish Tape Included

COLOR

3620.25501	3620.25502	3620.25503	3620.25504
3620.25505	3620.25506	3620.25507	3620.25508



PREMIUM 3D CARBON TOUCH



1 3D carbon pattern with polyurethane layer is anti-slip with high tensile strength for long-term performance

3 Microfiber texture provides enhanced tactility and vibration damping

2 Reusable GEL pad prevents adhesive residue



PERFORMANCE

★★★★★
RACING

★★★★★
CLIMBING

★★★★□
TOURING

Premium

3D Carbon Touch



Material 3D carbon touch, PU with Gel padded
Length 2000 mm
Width 30 mm
Thickness 1.8 mm
Plug Lock-in
Finish Tape Included

COLOR



3620.14101



ADVANCED VELVET TOUCH TAILOR SERIES





PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■■
TOURING

Advanced

Velvet Touch - Tailor Series



Material Velvet touch, PU with Gel padded
Length 2000 mm
Width 30 mm
Thickness 2.5 mm
Plug Lock-in
Finish Tape Included

COLOR



3620.23206



ADVANCED VELVET TOUCH



- 1 Velvet layer provides a uniform improved grip and a natural feel

- 2 Breathable, stretch resistant and lightweight

- 3 Reusable GEL pad prevents adhesive residue



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■■
TOURING

Advanced

Velvet Touch



Material Velvet touch, PU with Gel padded
Length 2000 mm
Width 30 mm
Thickness 2.5 mm
Plug Lock-in
Finish Tape Included

COLOR



3620.23201



3620.23203



HIGH DENSITY SUEDE TOUCH

- 1 Specially formulated foam rubber layer incorporates a micro-suede finish surface which is soft to the touch and inherently non-slip for a comfortable, clean aesthetic

- 2 Organic GEL pad prevents adhesive residue

- 3 Finish tape and lock-in bar end plugs

PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■■
TOURING

Suede Touch



Material Suede Touch, Foam rubber with Organic Gel padded
Length 2000 mm
Width 30 mm
Thickness 2.5 mm
Plug Lock-in
Finish Tape Included

COLOR

3620.31212 3620.31213 3620.31216



- 10 Sets (Black) - 3620.31211

Plugs are not included with workshop box



1 Pair / Display Box




10 Pairs / Workshop Box

UFO Lock-in Bar End Plugs

- ▶ Reusable, expanding locking bar plugs are reliable and resistance to falling out
- ▶ Fits handlebars with an ID of 18mm or greater
- ▶ Mirror black finished polymer body with inox bolt, lasered with fusion C pattern

- 1 Pair - 3618.11101
- 10 Pairs - 3618.11113

PREMIUM LOCK-IN PLUG VORTEX AL






1 Pair / Display Box

VORTEX Lock-in Bar End Plugs

- Reusable, expanding locking bar plugs are reliable and resistance to falling out
- Fits handlebars with an ID of 16mm or greater
- Metallic color finished alloy cap with inox bolt, lasered with compass pattern

COLOR



ADVANCED TRAIL WRAP TAPED GRIP





Advanced Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip CC Fusion



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	115mm
Weight	80±1g
Quantity	1 Pair, Right and Left

COLOR

3628.23101	3628.23102	3628.23103	3628.23104	3628.23105
3628.23106	3628.23107	3628.23108	3628.23109	3628.23110



HAND GRIP



Premium Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip Silicone



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Medical Silicone Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	115mm
Weight	105±1g
Quantity	1 Pair, Right and Left

COLOR



3628.12101



Premium Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip
Black Diamond




Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	115mm
Weight	82±1g
Quantity	1 Pair, Right and Left

COLOR



3628.11101

HAND GRIP



Advanced Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip

Aurora



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	115mm
Weight	82±1g
Quantity	1 Pair, Right and Left

COLOR



3628.21101



Advanced Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip
Magma




Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	115mm
Weight	80±1g
Quantity	1 Pair, Right and Left

COLOR



3628.21102

HAND GRIP



Advanced Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip Grind



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	115.0mm
Weight	101±1g
Quantity	1 Pair, Right and Left

COLOR



3628.24101

1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage



2 The grip surface is textured for perfect tactility where it's needed

3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side

Premium Compatible with OD. 22mm handlebars

Tomahawk Enduro Performance Grip



Type	P shape with palmrest
Material	Alloy Clamp / Polymer tube / Synthetic rubber
Length	139.0mm
Dimension	ID. 22.5mm / Thickness. 33-36-35±0.5mm
Depth	139.0mm
Weight	250±1g
Quantity	1 Pair, Right and Left

COLOR



3628.14101

HAND GRIP

- 1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage



- 2 The grip surface is textured for perfect tactility where it's needed

- 3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

- 4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side

Advanced Compatible with OD. 22mm handlebars

Tomahawk Lite Performance Grip



Type	P shape with palmrest
Material	Alloy Clamp / Polymer tube / High density foam rubber
Length	132.0mm
Dimension	ID. 22.5mm / Thickness. 34.5-31.5-34.5±0.5mm
Depth	132.0mm
Weight	90±1g
Quantity	1 Pair, Right and Left

COLOR



3628.14102

1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage

2 The grip surface is textured for perfect tactility where it's needed

3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side



Advanced Compatible with OD. 22mm handlebars

Trail Spike Conical Grip



Type	Conical shape
Material	Alloy Clamp / Polymer tube / Synthetic rubber
Length	135.0mm
Dimension	ID. 22.5mm / Thickness. 33-29-32±0.5mm
Depth	129.0mm
Weight	95±1g
Quantity	1 Pair, Universal

COLOR



3628.14103

HAND GRIP

- 1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage



- 2 The grip surface is textured for perfect tactility where it's needed

- 3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

- 4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side

Advanced Compatible with OD. 22mm handlebars

Natural Comfort Ergonomic Grip



Type	S shape
Material	Alloy Clamp / Polymer tube / Synthetic rubber
Length	130.0mm
Dimension	ID. 22.5mm / Thickness. 33-29-33±0.5mm
Depth	126.0mm
Weight	102±1g
Quantity	1 Pair, Universal

COLOR



3628.14104

1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage

2 The grip surface is textured for perfect tactility where it's needed

3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side



Advanced Compatible with OD. 22mm handlebars

Trail Comp Grip



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic rubber
Length	130.0mm
Dimension	ID. 22.5mm / OD. 31±1mm
Depth	126.0mm
Weight	112±1g
Quantity	1 Pair, Universal

COLOR



3628.14105



HAND GRIP

Traditional straight tube design for flat bars can be customized with a variety of bar tapes to adjust for feel or for replacement when worn



Advanced Compatible with OD. 19mm handlebars

Youth Rad Wrap Grip CC Fusion



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	122.5mm
Dimension	ID. 19mm/OD. 26±1mm
Depth	110.0mm
Weight	80±1g
Quantity	1 Pair, Right and Left

COLOR

3628.53001	3628.53002	3628.53003	3628.53004	3628.53005
3628.53006	3628.53050	3628.53051	3628.53052	3628.53053





ADVANCED YOUTH RAD WRAP KIT

- 1 Uniquely formulated synthetic leather with CC Fusion graphic texture for superb grip and handling performance
- 2 Multi-layer, multi-density foam improves shock absorption while dampening vibration to effectively minimize fatigue
- 3 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment
- 4 Silicone flanges keep hands on the grip and offer additional protection
- 5 Reusable, expanding locking bar plugs are reliable to ensuring the tape stay in position and resistance to falling out

Advanced Compatible with OD. 22mm handlebars

Youth Rad Wrap Kit CC Fusion



Material	Leather Touch, PU with Organic-Gel padded
Length	600mm
Width	30mm
Thickness	3mm
Quantity	1 Pair


COLOR

3628.63201	3628.63202	3628.63203	3628.63204	3628.63205
3628.63206	3628.63207	3628.63208	3628.63209	3628.63210



HAND GRIP

- 1 Uniquely formulated synthetic leather with CC Fusion graphic texture for superb grip and handling performance
- 2 Multi-layer, multi-density foam improves shock absorption while dampening vibration to effectively minimize fatigue
- 3 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment













Advanced

Leather Touch - CC Fusion



Material Leather Touch, PU with Organic-Gel padded
Length 600mm
Width 30mm
Thickness 3mm
Quantity 1 Pair

COLOR

				
3628.53001	3628.53002	3628.53003	3628.53004	3628.53005
				
3628.53006	3628.53050	3628.53051	3628.53052	3628.53053



- 1 Medical grade Silicone formulated pad with tire pattern is anti-slip with high tensile strength for long-term performance
- 2 Anti-UV, heat proof, and washable feature help it stay cleaner for longer, Single-layer pad provides enhanced tactility and vibration damping
- 3 No backing adhesive, able to re-wrap multiple times without leaving any adhesive on the handlebar



Premium

Silicone Touch



Material	Silicone Touch, Silicone without adhesive
Length	600mm
Width	30mm
Thickness	2.6mm
Quantity	1 Pair

COLOR

			
3628.42001	3628.42002	3628.42003	3628.42004
			
3628.42005	3628.42006	3628.42007	3628.42008

HAND GRIP

- 1

Uniquely formulated synthetic leather with Magma inspired graphic texture for superb grip and handling performance
- 2

Multi-layer, multi-density foam improves shock absorption while dampening vibration to effectively minimize fatigue
- 3

Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment
- 

Advanced

Leather Touch - Magma



Material	Leather Touch, PU with Organic-Gel padded
Length	600mm
Width	30mm
Thickness	3mm
Quantity	1 Pair

COLOR



- 1 Developed specifically for gravel and mixed surface abuse, Grind Tape's unique, high-density rubber-based compound is made to withstand all weather conditions while offering enhanced grip and improved control via vibration and shock absorption
- 2 Multi-layer, multi-density foam laminates effectively absorb shock, dampens vibration and minimize fatigue and strain due to real-world riding conditions
- 3 GEL padded adhesive keeps tape firmly wrapped on the handlebar and prevents residue for easy installation



Advanced

Grind Touch



Material	Grind Touch, Rubber with Gel padded
Length	600mm
Width	30mm
Thickness	3mm
Quantity	1 Pair

COLOR

		
3628.54001	3628.54002	3628.54004

TAI CHI

The optimal amalgamation of power and beauty, combining strong yet lightweight design with the beauty of carbon fiber finished in a fusion of color textures



01 — BAR TAPE

02 — HAND GRIP

03 — BOTTLE CAGE

— TUBELESS READY

1 Tai Chi bottle cages are the optimal amalgamation of power and beauty, combining strong yet lightweight design with the beauty of carbon fiber finished in a fusion of color textures

3 Includes lightweight, corrosion-free aluminium alloy bolts



2 Aerospace 3k carbon composite material is skilfully layered into a high strength structure ensuring secure holding of your bottle

Premium

Craft Carbon Cage - Tai Chi



Type Center Pull
Material 3K Carbon Weave
Height 145mm
Width 75mm
Weight 16±1g
Content 1 Piece

COLOR

3627.11001 3627.11002 3627.11003
3627.11004 3627.11005 3627.11006



Premium

Craft Carbon Cage - Tai Chi Combo

Type Center Pull
Material 3K Carbon Composite Weave
Height 145mm
Width 75mm
Weight 16±1g
Content 6 Pieces

COLOR

3627.11007



TUBELESS READY

Ciclovation Tubeless Ready products are perfect for your tubeless tire setup or conversion. We offer everything from tubeless tape in a variety of widths to feature-enhanced valves that make tubeless setup easier. And, while on the road or trail, our sealant products are engineered to last longer, seal better and are designed to keep you riding. Choose what you need individually or combine everything to get your tubeless wheels outfitted and rolling.



Advanced

Tire Sealant (60ml)



- ▶ Easy clean and smell naturally
- ▶ Excellent puncture resistance for holds up to 3.5mm
- ▶ Best performance with a wide range of temperatures (-30°C - +80°C)
- ▶ Maximum tire pressures up to 120psi
- ▶ For effective puncture resistance, add fresh sealant every 3-6 months depending on riding and weather conditions

• **60ml** - 3399.21101

Color/Material Milky White/Latex Based
Packaging Squeeze Bottle



Advanced

Tire Sealant (950ml)

- ▶ Ciclovation's all-conditions tire sealant uses an activated carbon compound for fast-acting sealing over a larger range of puncture sizes than conventional sealants. Once sealed, our sealing compound is more durable and longer lasting than competitors even in conditions of varying temperature and humidity.

• **950ml** - 3399.21102

Color/Material Milky White/Latex Based
Packaging Workshop Bottle

TUBELESS READY



Advanced

Tubeless Rim Tape (10 Meters)



► High-performance rim tape for tubeless ready rims

- **20mm** - 3399.21205 (Road)
- **22mm** - 3399.21201 (Road)
- **24mm** - 3399.21202 (Road)
- **27mm** - 3399.21209 (Road)
- **30mm** - 3399.21206 (MTB)

Color/Material Black/Polyester
Packaging Display Box



Advanced

Tubeless Rim Tape (50 Meters)

► Ciclovation's tubeless tape makes a tight barrier to better hold tire pressure with confidence. Our pliable tape and super strong adhesive is reliable and long lasting

- **20mm** - 3399.21207 (Road)
- **22mm** - 3399.21203 (Road)
- **24mm** - 3399.21204 (Road)
- **27mm** - 3399.21210 (Road)
- **30mm** - 3399.21208 (MTB)

Color/Material Black/Polyester
Packaging Zipper Bag



Advanced

Valve Stem



- Ciclovation's high flow valve stem adds an additional lateral hole at the point of inflation within the tire for maximum airflow designed to make seating a tubeless tire easier and more efficient. Finally you can take full advantage of your air compressor or boosted floor pump to quickly and reliably seat tubeless tires without your valve stem limiting your airflow

- 40mm - 3326.11101
- 50mm - 3326.11102
- 70mm - 3326.11103

Color/Material Black/Alloy Anodized



Advanced

Valve Extender



- Light-weight tubeless valve extender

- 30mm - 3326.11104

Color/Material Black/Alloy Anodized



Advanced

Valve Cap



Ciclovation's 3-in1 Multi-function air cap includes:

- A valve core wrench to replace damaged cores or to remove a core to facilitate adding sealant without tire removal
- A valve stem extender to ensure a tight and secure interface to avoid leaks
- And it's also a durable, lightweight, alloy valve cap to keep valves clean and free of debris

- 1 Pair - 3326.11105

Color/Material Black/Alloy Anodized

DISC BRAKE PAD

Designed to deliver balanced, long-lasting stopping power and modulation with low-noise under a variety of conditions - a smart alternative to OEM brake pads

PACKAGING TYPE

1



1 Pair / Blister

2



15 Pairs / Workshop Box

★ Ciclovation disc brake pads have been obtained TÜV approval.

BRAKE PAD



SRAM® DB5, Avid® Elixir

► Brake Models -

SRAM® DB5, DB3 / Avid® Elixir R, CR, CR Mag,
1, 3, 5, 7, 9, X0, XX, World Cup

- **1 Pair** - 3516.21201
- **15 Pairs** - 3516.21208

Material	Organic
Backing Plate	Steel



Avid® BB7, All Juicy Models

► Brake Models -

Avid® BB7, All Juicy Models

- **1 Pair** - 3516.21202
- **15 Pairs** - 3516.21206

Material	Organic
Backing Plate	Steel



Avid® BB5

► Brake Models -

Avid® BB5

Promax® Render, Decipher

► Brake Models -

Proma® Render, Decipher

- **1 Pair** - 3516.21203
- **15 Pairs** - 3516.21207

Material	Organic
Backing Plate	Steel



SRAM® Guide, Avid® Trail

► Brake Models -

SRAM® Guide RSC, RS, R / Avid® Trail

- 1 Pair - 3516.21204

Material Organic
Backing Plate Steel



SRAM® Red 22

► Brake Models -

SRAM® Red 22 B1, Force 22, CX1, Rival 22, S700 B1, Hydraulic Disc

- 1 Pair - 3516.21205

Material Organic
Backing Plate Steel



Shimano® Dura-Ace / Road Hydraulic (K-Type)

► Brake Models -

Shimano® LX T675, Deore T615, M525, M515, M515-LA, Alivio M4050, Nexave C601, C501, Tourney TX805, Non-Series M575, M486, M485, M475, M465, M447, M446, M445, M416, M416A, M4050, M415, M395, M375, M355

- 1 Pair - 3516.21107

Material Organic
Backing Plate Steel



Shimano® XTR M965, M966 (A-Type)

► Brake Models -

Shimano® XTR M965, M966, M975, Saint M800, Deore XT M776, M775, M765, SLX M776, Deore LX T665, M585, Hone M601, Deore M596, M595, M535, Alfine S501, S500, Non-Series R505, T605, M545

TRP® Dash

► Brake Models -

TRP® Dash, Dash Carbon, Parabox 2011 Front

- 1 Pair - 3516.21102
- 15 Pairs - 3516.21105

Material Organic
Backing Plate Steel



Shimano® LX T675, Deore T615 (B-Type)

► **Brake Models -**

Shimano® LX T675, Deore T615, M525, M515, M515-LA, Alivio M4050, Nexave C601, C501, Tourney TX805, Non-Series M575, M486, M485, M475, M465, M447, M446, M445, M416, M416A, M4050, M415, M395, M375, M355

- **1 Pair** - 3516.21101
- **15 Pairs** - 3516.21104

Material Organic
Backing Plate Steel



Tektro® Auriga, TRP® HYRD

► **Brake Models -**

Tektro® Auriga, Auriga, Auriga E, Comp, Aquila, Draco 2, Dorad, Draco 2, Draco WS, Gemini, HD330, Orion TRP® HY/RD, Hylex, Parabox 2012, Spyre, Spyre SLC

RST® D-Power

- **Brake Models -**
RST® D-Power

Shimano® XTR M9000 (G-Type)

► **Brake Models -**

Shimano® XTR M9000, M9020, M988, M987, M985, Deore XT M785, Deore M615, SLX M666, M675, Alfine S700, Cyclocross and On-road Hydraulic disc brake R785, RS785

- **1 Pair** - 3516.21103
- **15 Pairs** - 3516.21106

Material Organic
Backing Plate Steel



Magura® MT8, MT6, MT4, MT2

► Brake Models -

Magura® MT8, MT6, MT4, MT2

• **1 Pair** - 3516.21301

Material Organic
Backing Plate Steel



Formula® RR1, R1R, RO

► Brake Models -

Formula® RR1, R1R, RO, RX, T1, Mega

• **1 Pair** - 3516.21401

Material Organic
Backing Plate Steel



Formula® ORO

► Brake Models -

Formula® ORO

• **1 Pair** - 3516.21402

Material Organic
Backing Plate Steel



Tektro® IOX

► Brake Models -

Tektro® IOX

• **1 Pair** - 3516.21701

Material Organic
Backing Plate Steel

RIM BRAKE PAD

Brake pads for calipers and cantis that perform to factory level or better

PACKAGING TYPE

1



1 Pair / Header Card

2



2 Pairs / Header Card

3



1 Pair / Blister

4



50 Pairs / Workshop Box

BRAKE PAD

ROAD



Advanced

Road Brake Shoe Set



- Advanced compound for aluminum rims with optimum gripping power
- High performance in both wet and dry conditions

Compound Compatibility Package All Weather
Shimano® / SRAM®, Road
1 Pair / Blister

COLOR



3514.21401



3514.21402

Pad Insert (Pin Included)



3515.21401

Basic

Road Brake Shoe Set



- Advanced compound for aluminum rims with optimum gripping power
- High performance in both wet and dry conditions

- 1 Pair - 3514.31401
- 2 Pairs - 3514.31402

Compound Compatibility All Weather
Shimano® / SRAM®, Road

MOUNTAIN



Advanced

Mountain Brake Shoe Set



- Advanced compound for aluminum rims with optimum gripping power
- High performance in both wet and dry conditions

Compound Compatibility Package All Weather
Mountain
1 Pair / Blister

COLOR



3514.25407



3514.25402

Pad Insert (Pin Included)



3515.23401

**Basic**

Mountain Brake Shoe Set - Threaded Post



- Compound for aluminum rims with optimum gripping power
- High performance

- **2 Pairs** - 3514.35407 (Black)
- **50 Pairs** - 3514.35402 (Black)

Compound All Weather
Compatibility Threaded Post, Mountain

COLOR (1 Pair)



3514.35401



3514.35403



3514.35404

**Basic**

Mountain Brake Shoe Set - Canti Post



- Compound for aluminum rims with optimum gripping power
- High performance

- **1 Pair** - 3514.35405
- **2 Pairs** - 3514.35408
- **50 Pairs** - 3514.35406

Compound All Weather
Compatibility Canti Post

**Basic**

X-CALIPER



- Compound for aluminum rims with optimum gripping power

- **1 Pair** - 3514.37401
- **2 Pairs** - 3514.37404
- **50 Pairs** - 3514.37402

Compound All Weather
Compatibility Nut type

CABLE SET

A complete line of shift and brake cables, housing, barrel adjusters and cable management accessories for all your cable needs

PREMIUM SUPER LIGHTWEIGHT VIPERLINK CABLE SET

CONTROL CABLE



★ The LINK sheathing was engineering and manufactured by Carl Stahl GmbH in Germany

Viperlink Road Shift Cable Set

Compatibility	Shimano® / SRAM®
Outer Casing	5mm VIPERLINK (OSV 5.0)
Casing Length	2x 400mm w/ 500mm liner, 1x 300mm w/ 400mm liner
Inner Cable	1.1mm Stainless Nano Slick (ISN)
Cable Length	Front: 1800mm Rear: 2100mm
Parts	2 x Lever end segment, 4mm x 230mm, Black 4 x Link Adapter, Alloy / Black 2 x Open End Cap, Alloy / Black 2 x Frame Protector, Mini Black (pre-cut) 3 x Spare Link, Alloy/Blue, Green, Gold, Red, Silver, Orange 1 x Rotating Hook, Plastic Black 2 x Cable Tip 1.6mm, Alloy / Black

COLOR



3511.11101

Viperlink Road Brake Cable Set

Compatibility	Shimano® / SRAM®
Outer Casing	5 mm VIPERLINK (OSV 5.0)
Casing Length	2x 400 mm w/ 500 mm liner, 1x 200 mm w/ 300 mm liner
Inner Cable	1.5 mm Stainless Nano Slick (ISN)
Cable Length	Front: 850 mm Rear: 1700 mm
Parts	2 x Lever end segment, 230 mm, Black 2 x Link Adapter, Alloy / Black 2 x Frame Protector, Mini Black (pre-cut) 3 x Spare Link, Alloy / Blue, Green, Gold, Red, Silver, Orange 1 x Rotating Hook, Plastic Black 2 x Cable Tip 1.6 mm, Alloy / Black

COLOR



3511.11311



01 BAR TAPE

02 HAND GRIP

03 BOTTLE CAGE

TUBELESS READY



Premium High Performance

Universal Shift Cable Set



- ▶ Stainless steel stranded shift cable using Nano-slick surface polishing results in ultra low-friction shifting performance without the use of coatings that may wear off
- ▶ High performance compressionless outer casing designed for precise and effortless shifting
- ▶ Fully lubricated inner housing liner reduces friction and enhances shift lever feel
- ▶ Recommended for 11/12-speed drivetrains

Compatibility	Shimano® / SRAM®
Outer Casing	4 mm Linear Lube (OSL Lube 4.0)
Casing Length	3200 mm
Inner Cable	1.1 mm Stainless Nano Slick (ISN)
Cable Length	Front: 1800 mm Rear: 2100 mm
Parts	2 x Sealed End Cap, Alloy / Black 8 x Open End Cap, Alloy / Black 6 x Cable Oring, Translucent (2 sets = 6 pcs) 2 x Frame Protector, Mini Black 2 x Cable Tip, 1.2 mm, Alloy / Silver

COLOR




3511.31101 3511.31102 3511.31103 3511.31104



Premium High Performance

Road Brake Cable Set



- ▶ Linear compressionless outer casing is Kevlar® reinforced making it 30% lighter than conventional outer casing while maintaining maximum braking responsiveness
- ▶ Stainless steel stranded brake cable using Nano-slick surface polishing results in ultra low-friction braking performance without the use of coatings that may wear off
- ▶ Fully lubricated inner housing liner reduces friction and enhances brake lever feel
- ▶ Compatible with all cable actuated road bike brake systems

Compatibility	Shimano® / SRAM® Road
Outer Casing	5 mm Kevlar® Braided Reinforced Light-Weight, Compressionless Lube (OBK Lube 5.0)
Casing Length	1700 mm
Inner Cable	1.5 mm Stainless Nano Slick (ISN)
Cable Length	Front: 850 mm Rear: 1700 mm
Parts	2 x Open End Cap, Alloy / Black 2 x "POP" End Cap (to be contacted with Kevlar® Reinforced Casing to Standard Size Guides or Adjusters) 3 x Cable Oring, Translucent (1 set=3pcs) 2 x Frame Protector, Mini Black 2 x EZ-Bend segments (Pre-installed with outer casing) 2 x Cable Tip, 1.2 mm, Alloy / Silver

COLOR



3511.11301 3511.11302 3511.11303 3511.11304



Advanced Performance


Universal Shift Cable Set



- ▶ High performance compressionless outer casing designed for precise and effortless shifting
- ▶ Fully lubricated inner housing liner reduces friction and enhances lever feel
- ▶ Stainless steel low friction inner cable
- ▶ Recommended for 10-speed drivetrains

Compatibility Shimano® / SRAM®
Outer Casing 4 mm Linear Lube (OSL Lube 4.0)
Casing Length 3200 mm
Inner Cable 1.1 mm Stainless Slick (ISS)
Cable Length Front: 1800 mm
 Rear: 2100 mm
Parts 2 x Sealed End Cap, Alloy / Black
 8 x Open End Cap, Alloy / Black
 6 x Cable Oring, Translucent (2 sets = 6 pcs)
 2 x Frame Protector, Mini Black
 2 x Cable Tip, 1.2 mm, Alloy / Silver

COLOR



Advanced Performance

Road Brake Cable Set



- ▶ Low compression outer casing for predictable braking performance
- ▶ Fully lubricated inner housing liner reduces friction and enhances lever feel
- ▶ Stainless steel low friction inner cable
- ▶ Compatible with all cable actuated road bike brake systems

Compatibility Shimano® / SRAM® Road
Outer Casing 5 mm Coiled Lube (OBC Lube 5.0)
Casing Length 1700 mm
Inner Cable 1.5 mm Stainless Slick (ISS)
Cable Length Front: 850 mm
 Rear: 1700 mm
Parts 4 x Open End Cap, Alloy / Black
 3 x Cable Oring, Translucent (1 set = 3 pcs)
 2 x Frame Protector, Mini Black
 2 x Cable Tip, 1.8 mm, Alloy / Silver

COLOR





Advanced Performance

Mountain Brake Cable Set



- Low compression outer casing for predictable braking performance
- Fully lubricated inner housing liner reduces friction and enhances lever feel
- Stainless steel low friction inner cable
- Compatible with all cable actuated mountain bike brake systems

Compatibility
Outer Casing
Casing Length
Inner Cable
Cable Length

Shimano® / SRAM®
 5 mm Coiled Lube (OBC Lube 5.0)
 3000 mm
 1.5 mm Stainless Slick (ISS)
 Front: 1350 mm
 Rear: 2350 mm
Parts
 6 x Open End Cap, Alloy / Black
 3 x Cable Oring, Translucent (1 set = 3pcs)
 2 x Frame Protector, Mini Black
 2 x Cable Tip, 1.8 mm, Alloy / Silver

COLOR



3511.22301



3511.22302



3511.22303




3511.22304

INNER CABLE

A complete line of shift and brake cables manufactured to the highest standards and to ensure consistent operation


PREMIUM HIGH PERFORMANCE



ISC - Inner cable, stainless polymer-coated

- ▶ Superior low friction performance
- ▶ Strongly recommended to use with lined small parts for preventing abrasion
- ▶ Shimano® Dura-Ace, XTR compatible
- ▶ 11 & 12 speed shift systems recommended


PREMIUM HIGH PERFORMANCE



ISN - Inner cable, Stainless Nano-Slick

- ▶ Stainless Nano-polished, ultra-slick delivers incredibly accurate, smooth responses. It's so critical to 11-12 speed drivetrains
- ▶ Uncoated surface has nothing to flake off during installation or riding, it can be used with any outer casing and lubricant
- ▶ 10/11/12 speed shifting systems recommended

ADVANCED PERFORMANCE




ISS - Inner cable, stainless slick

IZS - Inner cable, zinc slick

- ▶ Low friction and elongation provides precise and effortless shifting performance
- ▶ Stainless steel inner cables are corrosion resistant
- ▶ Compatible with 10 speed shift system

BASIC




ISR - Inner cable, stainless regular

IZR - Inner cable, zinc regular

- ▶ Regular zinc or stainless steel inner cable is great for entry-level, low-cost bike repairs
- ▶ Compatible with 7/8/9 speed shift systems

PERFORMANCE COMPARISON



■ Polymer-Coated

■ Nano-Slick

■ Slick Stainless

STAINLESS POLYMER COATED CABLE

- ▶ Superior low friction performance
- ▶ Better use with lined small parts for preventing abrasion

NANO-SLICK CABLE

- ▶ Uncoated surface has nothing to flake off
- ▶ Stainless nano-polished, ultra-slick for accurate and smooth responses

SLICK STAINLESS CABLE

- ▶ Corrosion resistant
- ▶ Low friction and elongation provides precise and effortless performance

Performance / Cable Type	Polymer-Coated	Nano-Slick	Slick Stainless
Smoothness	10	10	8
Durability	6	10	8
Rust Resistance	10	10	10
Easy Assembly	8	10	10
Uniqueness	10	8	6
Shift System Compatibility	11-12 speed	10-11-12 speed	10 speed

SHIFT



Premium High Performance

Polymer-Coated Shift Inner Cable



- ▶ Stainless-Slick cable coated with superior fluoropolymer creates ultra-low friction performance
- ▶ Strongly recommended to use with lined end caps for preventing abrasion

- Shimano® / SRAM® (2100mm) - 3513.11601

Diameter	1.1 mm
Material	Gold, Stainless steel coated with fluoropolymer
Parts	2 x Lined End Caps
Quantity	1 Piece
Package	Single Cable Pack



Premium High Performance

Nano-Slick Shift Inner Cable



- ▶ Stainless steel stranded shift cable using Nano-slick surface polishing results in ultra low-friction shifting performance without the use of coatings that may wear off
- ▶ Recommended for 10/11/12-speed drivetrains
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- Shimano® / SRAM® (2100mm) - 3513.11701
- Campagnolo® (2100mm) - 3513.12701

Diameter	1.1 mm
Material	Silver, Stainless Nano-Slick
Quantity	1 Piece
Package	Single Cable Pack



Advanced Performance

Stainless Slick Shift Inner Cable



- ▶ Advanced die-drawn stainless steel cable is low friction with minimal elongation for consistently effortless shifting performance
- ▶ Recommended for 10-speed drivetrains
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- Shimano® / SRAM® (2100mm) - 3513.21201
- Shimano® / SRAM® (3000mm) - 3513.21202
- Campagnolo® (2100mm) - 3513.22201

Diameter	1.1 mm
Material	Stainless Slick
Quantity	1 Piece
Package	Single Cable Pack



Zinc Shift Inner Cable



- ▶ Standard inner shift cable
- ▶ Compatible with Shimano® and SRAM® 7/8/9-speed drivetrains

- Shimano® / SRAM® (2100mm) - 3513.31501
- Shimano® / SRAM® / Huret, Schwinn®, Benelu, Simplex double-ended (2100mm) - 3513.34501

Diameter	1.2 mm
Material	Zinc Regular
Quantity	1 Piece
Package	Single Cable Pack



Premium High Performance

Nano-Slick Shift Inner Cable



- Stainless steel stranded shift cable using Nano-slick surface polishing results in ultra low-friction shifting performance without the use of coatings that may wear off
- Recommended for 11/12-speed drivetrains
- Compatible with all high performance outer casing, lubricants and end caps

- Shimano® / SRAM® - 3513.11702
- Campagnolo® - 3513.12702

Diameter	1.1 mm
Material	Silver, Stainless Nano-Slick
Length	2100 mm
Quantity	20 Pieces
Package	Workshop Pack



Advanced Performance

Slick Shift Inner Cable



- Advanced die-drawn stainless steel and zinc cable is low friction with minimal elongation for consistently effortless shifting performance
- Recommended for 10-speed drivetrains
- Compatible with all high performance outer casing, lubricants and end caps

- Stainless Slick Shimano® / SRAM® - 3513.21203
- Zinc Slick Shimano® / SRAM® - 3513.21401

Diameter	1.1 mm
Material	Stainless Slick / Zinc Slick
Length	2100 mm
Quantity	100 Pieces
Package	Workshop Box

CONTROL CABLE



Zinc Shift Inner Cable



- ▶ Standard inner shift cable
- ▶ Compatible with Shimano® and SRAM® 7/8/9-speed drivetrains

- Shimano® / SRAM® - 3513.31502

Diameter	1.2 mm
Material	Zinc Regular
Length	2100 mm
Quantity	100 Pieces
Package	Workshop Box

BRAKE - ROAD



Premium High Performance

Polymer-Coated Road Brake Inner Cable



- ▶ Stainless-Slick cable coated with superior fluoropolymer creates ultra-low friction performance
- ▶ Strongly recommend to use with lined end caps for preventing abrasion

- Shimano® / SRAM® (1700mm) - 3513.15601

Diameter	1.5 mm
Material	Gold, Stainless steel coated with Fluoropolymer
Quantity	1 Piece
Package	Single Cable Pack



Premium High Performance

Nano-Slick Road Brake Inner Cable



- ▶ Stainless steel stranded brake cable for road bikes using Nano-slick surface polishing results in ultra low-friction braking performance without the use of coatings that may wear off
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- Shimano® / SRAM® (1700mm) - 3513.15701
- Campagnolo® (1700mm) - 3513.17701

Diameter	1.5 mm
Material	Silver, Stainless Nano-Slick
Quantity	1 Piece
Package	Single Cable Pack



Advanced Performance

Stainless Slick Road Brake Inner Cable



- ▶ Advanced die-drawn stainless steel cable is low friction with minimal elongation for smooth and responsive braking performance
- ▶ Compatible with all cable actuated road bike brake systems
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- Shimano® / SRAM® (1700mm) - 3513.25201
- Campagnolo® (1700mm) - 3513.27201

Diameter	1.5 mm
Material	Stainless Slick
Quantity	1 Piece
Package	Single Cable Pack

CONTROL CABLE



Zinc Road Brake Inner Cable



- Zinc coated standard inner brake cable
- Compatible with Shimano® and SRAM® cable actuated road bike brake systems

- Shimano® / SRAM® (1700mm) - 3513.35501
- Shimano® / SRAM® (3500mm) - 3513.35502

Diameter 1.5 mm
Material Zinc Regular
Quantity 1 Piece
Package Single Cable Pack



Premium High Performance

Nano-Slick Road Brake Inner Cable



- Stainless steel stranded brake cable for road bikes using Nano-slick surface polishing results in ultra low-friction braking performance without the use of coatings that may wear off
- Compatible with all high performance outer casing, lubricants and end caps

- Shimano® / SRAM® - 3513.15702
- Campagnolo® - 3513.17702

Diameter 1.5 mm
Material Silver, Stainless Nano-Slick
Length 1700 mm
Quantity 20 Pieces
Package Workshop Pack



Advanced Performance

Slick Road Brake Inner Cable



- ▶ Advanced die-drawn stainless steel and zinc cable is low friction with minimal elongation for smooth and responsive braking performance
- ▶ Compatible with all cable actuated road bike brake systems
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- **Stainless Slick Shimano® / SRAM® -**
3513.25202
- **Zinc Slick Shimano® / SRAM® -**
3513.25401

Diameter	1.5 mm
Material	Stainless Slick / Zinc Slick
Length	1700 mm
Quantity	100 Pieces
Package	Workshop Box



Zinc Road Brake Inner Cable



- ▶ Zinc coated standard inner brake cable
- ▶ Compatible with Shimano® and SRAM® cable actuated road bike brake systems

- **Shimano® / SRAM® -**
3513.35503

Diameter	1.5 mm
Material	Zinc Regular
Length	1700 mm
Quantity	100 Pieces
Package	Workshop Pack

BRAKE - MOUNTAIN



Premium High Performance

Nano-Slick Mountain Brake Inner Cable



- ▶ Stainless steel stranded brake cable for mountain bikes using Nano-slick surface polishing results in ultra low-friction braking performance without the use of coatings that may wear off
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- Shimano® / SRAM® (1700mm) - 3513.16701

Diameter 1.5 mm
Material Silver, Stainless Nano-Slick
Quantity 1 Piece
Package Single Cable Pack

Advanced Performance

Stainless Slick Mountain Brake Inner Cable



- ▶ Advanced die-drawn stainless steel cable is low friction with minimal elongation for smooth and responsive braking performance
- ▶ Compatible with all cable actuated mountain bike brake systems
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- Shimano® / SRAM® (1700mm) - 3513.26201
- Shimano® / SRAM® (3500mm) - 3513.26202

Diameter 1.5 mm
Material Stainless Slick
Quantity 1 Piece
Package Single Cable Pack



Advanced Performance

Stainless Slick Road/Mountain Brake Inner Cable - double-ended



- ▶ Advanced die-drawn stainless steel cable is low friction with minimal elongation for smooth and responsive braking performance
- ▶ Compatible with all brake systems (double-ended)
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- Shimano® / SRAM® (3500mm) - 3513.29201

Diameter	1.5 mm
Material	Stainless Slick
Quantity	1 Piece
Package	Single Cable Pack



Zinc Mountain Brake Inner Cable



- ▶ Zinc coated standard inner brake cable
- ▶ Compatible with cable actuated mountain bike brake systems

- Shimano® / SRAM® (1700mm) - 3513.36501
- Shimano® / SRAM® (3500mm) - 3513.36502

Diameter	1.5 mm
Material	Zinc Regular
Quantity	1 Piece
Package	Single Cable Pack



Premium High Performance

Nano-Slick Mountain Brake Inner Cable



- ▶ Stainless steel stranded brake cable for mountain bikes using Nano-slick surface polishing results in ultra low-friction braking performance without the use of coatings that may wear off
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- **Shimano® / SRAM® -**
3513.16702

Diameter	1.5 mm
Material	Silver, Stainless Nano-Slick
Length	1700 mm
Quantity	20 Pieces
Package	Workshop Pack



Advanced Performance

Slick Mountain Brake Inner Cable



- ▶ Advanced die-drawn stainless steel and zinc cable is low friction with minimal elongation for smooth and responsive braking performance
- ▶ Compatible with all cable actuated mountain bike brake systems
- ▶ Compatible with all high performance outer casing, lubricants and end caps

- **Stainless Slick Shimano® / SRAM® -**
3513.26203
- **Zinc Slick Shimano® / SRAM® -**
3513.26401

Diameter	1.5 mm
Material	Stainless Slick / Zinc Slick
Length	1700 mm
Quantity	100 Pieces
Package	Workshop Box



Zinc Mountain Brake Inner Cable



- Zinc coated standard inner brake cable
- Compatible with cable actuated mountain bike brake systems

- Shimano® / SRAM® - 3513.36503

Diameter	1.5 mm
Material	Zinc Regular
Length	1700 mm
Quantity	100 Pieces
Package	Workshop Pack

OUTER CASING

Meets all standard regulations to delivery reliable, high-quality, durable performance




SHIFT

PREMIUM

ADVANCED



OSL LUBE 4mm




Outer Casing Shift Linear (OSL-Lubed) - 4mm

- ▶ Ultra-low friction OSL Lube provides precise and effortless shifting performance
- ▶ Lubricant is consistently distributed throughout the outer casing (and remains in the outer casing)
- ▶ Fully lubricated liner reduces friction and enhances lever feel

BASIC



OSL 4mm



Outer Casing Shift Linear (OSL) - 4mm


- ▶ OSL shift outer casing uses linear steel strands wrapped with non-lubed liner
- ▶ Low cost and long-lasting performance for entry-level bike service

BRAKE

PREMIUM



**OBK LITE
5mm**




Outer Casing Brake Kevlar® Braided Reinforced Lightweight (OBK-Lite) - 5mm

- ▶ Kevlar® reinforced outer casing results in crisp brake level feel
Compassionless
- ▶ Super light weight, 30% less than conventional outer casing
- ▶ Lubricant is consistently distributed throughout the outer casing (and remains in the outer casing)
- ▶ Fully lubricated liner reduces friction and enhances lever feel

ADVANCED



**OBC LUBE
5mm**




Outer Casing Brake Coiled (OBC Lubed) - 5mm

- ▶ Super-low compression OBC Lube outer casing, high carbon, coiled steel provides smooth braking performance
- ▶ Lubricant is consistently distributed throughout the outer casing (and remains in the outer casing)
- ▶ Fully lubricated liner reduces friction and enhances lever feel

BASIC



**OBC
5mm**



Outer Casing Brake Coiled (OBC) - 5mm

- ▶ Basic coiled steel brake outer casing with non-lubed liner
- ▶ Low-cost and long-lasting performance ideally for entry-level bike service

SHIFT



Advanced Performance


Shift Lubed Outer Casing (10 Meters)



- Linear compressionless outer casing designed for precise and effortless shifting
- Fully lubricated, low friction polymer inner liner
- Compatible with all cable actuated road and mountain bike shift systems

Outer Casing 4 mm Linear Lubed outer casing (OSL-Lube)
Package Workshop Zipper Bag

COLOR



Advanced Performance


Shift Lubed Outer Casing (50 Meters)



- Linear compressionless outer casing designed for precise and effortless shifting
- Fully lubricated, low friction polymer inner liner
- Compatible with all cable actuated road and mountain bike shift systems

Outer Casing 4 mm Linear Lubed outer casing (OSL-Lube)
Package Workshop Box

COLOR





Basic

Shift Outer Casing (50 Meters)



- Basic linear strand outer casing with non-lubed liner
- Low-cost and long-lasting performance ideally for entry-level bike service

Outer Casing 4 mm Linear Non-Lubed outer casing (OSL)

Package Workshop Box

COLOR



3512.33101

BRAKE



Premium Super Lightweight

Lightweight Brake Outer Casing (10 Meters)



- ▶ Linear compressionless outer casing is Kevlar® reinforced making it 30% lighter than conventional outer casing while maintaining maximum braking responsiveness
- ▶ Fully lubricated, low friction polymer inner liner
- ▶ Ideal for high performance bicycle using mechanical disc or rim brakes requiring full-length housing

Outer Casing 5 mm Kevlar® Braided Reinforced Light-Weight, Compressionless Lube (OBK-Lube)
Parts 6 x POP End Cap, Alloy / Black
Package 6 x EZ-Bend segments
 Workshop Zipper Bag


COLOR



3512.12201

Advanced Performance

Brake Lubed Outer Casing (10 Meters)



- ▶ Low compression coiled steel outer casing designed for positive braking
- ▶ Fully lubricated, low friction polymer inner liner
- ▶ Compatible with all cable actuated road and mountain bike brake systems

Outer Casing 5 mm Coiled Lube outer casing (OBC-Lube)
Package Workshop Zipper Bag

COLOR



3512.21201



3512.21202



3512.21203



3512.21204



3512.21206



3512.21207



3512.21208



3512.21209



3512.21210

CONTROL CABLE

**Advanced Performance****Brake Lubed Outer Casing (40 Meters)**

- Low compression coiled steel outer casing designed for positive braking
- Fully lubricated, low friction polymer inner liner
- Compatible with all cable actuated road and mountain bike brake systems

Outer Casing 5 mm Coiled Lube outer casing (OBC-Lube)

Package Workshop Box

COLOR



3512.21205

**Brake Outer Casing (40 Meters)**

- Basic coiled steel brake outer casing with non-lubed liner
- Low-cost and long-lasting performance ideally for entry-level bike service

Outer Casing 5 mm Coiled Non-Lube outer casing (OBC)

Package Workshop Box

COLOR



3512.31101



DISC BRAKE PAD

RIM BRAKE PAD

CABLE SET

INNER CABLE

OUTER CASING

04

COMPONENT ACCESSORY

ACCESSORY

A complete line of shift and brake cables, housing, barrel adjusters and cable management accessories for all your cable needs





Workshop Dispenser

- ▶ New revelutionary workshop dispenser bottle for parts & accessories
- ▶ Stackable, easy to use and refill
- ▶ Box of 4 Bottles, Caps, Plugs and Stickers are included

Material

Body / Cap: PP

Color Quantity

Plug: PE
Translucent
4 Sets

COLOR



3518.23161

COMPONENT ACCESSORY

PACKAGING TYPE



Blister



Workshop Dispenser



Workshop Zipper Bag

SHIFT



Shift Sealed End Cap (Alloy)

- Featured a small rubber o-ring in the base to help prevent dirt and debris from entering the outer casing
- Keep lower friction performance with protection against contaminants
- Fits 4.0 mm outer casing; best use with lubed shift outer casing

- Dispenser (50 Pieces) - 3517.12101
- Zipper Bag (50 Pieces) - 3517.12102

Size 4.0 mm
Material Alloy
Color Black Anodized



Shift Sealed End Cap (Plastic)

- ▶ Featured a small rubber o-ring in the base to help prevent dirt and debris from entering the outer casing
- ▶ Keep lower friction performance with protection against contaminants
- ▶ Fits 4.0 mm outer casing; best use with lubed shift outer casing

- **Dispenser (100 Pieces)** - 3517.12301
- **Zipper Bag (100 Pieces)** - 3517.12302

Size 4.0 mm
Material Plastic
Color Black



Shift Open End Cap (Alloy)

- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 4.0 mm outer casing

- **Dispenser (50 Pieces)** - 3517.11101
- **Zipper Bag (50 Pieces)** - 3517.31102

Size 4.0 mm
Material Alloy
Color Black Anodized



Shift Open End Cap (Brass)

- ▶ Less expensive and do little to protect the system from contaminates
- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 4.0 mm outer casing

- **Dispenser (50 Pieces)** - 3517.11201
- **Zipper Bag (50 Pieces)** - 3517.11202

Size 4.0 mm
Material Brass
Color Black



Shift Open End Cap (Plastic)

- ▶ Less expensive and do little to protect the system from contaminates
- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 4.0 mm outer casing

- **Dispenser (100 Pieces)** - 3517.11301
- **Zipper Bag (100 Pieces)** - 3517.11302

Size 4.0 mm
Material Plastic
Color Black

BRAKE



Brake Open End Cap (Alloy)

- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 5.0 mm outer casing

- **Dispenser (50 Pieces)** - 3517.31101
- **Zipper Bag (50 Pieces)** - 3517.31102

Size 5.0 mm
Material Alloy
Color Black Anodized



Brake Open End Cap (Brass)

- ▶ Less expensive and do little to protect the system from contaminates
- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 5.0 mm outer casing

- **Dispenser (200 Pieces)** - 3517.31201
- **Zipper Bag (200 Pieces)** - 3517.31202

Size 5.0 mm
Material Brass (Crimp to secure)
Color Chrome Plated

OTHER



Frame Mounted Adjuster (M5)

- ▶ Allows fine tuning of shift settings
- ▶ Fit in the frame with 4.0 mm outer casing
- ▶ Not recommended for use with brake systems

- **Blister (2 Pieces)** - 3518.14131
- **Dispenser (30 Pieces)** - 3518.14132
- **Zipper Bag (30 Pieces)** - 3518.14133

Size Fits 4.0 mm Outer Casing
Material Alloy / Nylon
Color Black Rubber-Coated



Rotating Hook

- ▶ Prevent outer casing against outer casing slapping
- ▶ For use with shift, brake outer casing and hydraulic hose
- ▶ Fits 5.5 mm & smaller size of outer casings

- **Blister Pack (4 Pieces)** - 3518.17161
- **Dispenser (50 Pieces)** - 3518.17162
- **Zipper Bag (50 Pieces)** - 3518.17163

Material Nylon
Color Black



Stick-On Cable Guide

- ▶ Guide stickers with 3M adhesive for shift, brake outer casing and hydraulic hose
- ▶ Fits 5.5 mm & smaller size of outer casings

- **Blister Pack (4 Pieces)** - 3518.16131
- **Dispenser (30 Pieces)** - 3518.16132
- **Zipper Bag (30 Pieces)** - 3518.16133

Material Alloy Plate with Nylon C-Clip
Color Black



Frame Protector, Mini Type

- Protect a frame's finish from scratches and keep noise to a minimum
- Fits 5.5 mm & smaller sizes of outer casing

- **Dispenser (50 Pieces) -**

Black: 3518.18233

White / Yellow / Blue / Green / Red Mix (20 Pieces each): 3518.18234

- **Zipper Bag (100 Pieces) -**

Black: 3518.18251

White / Yellow / Blue / Green / Red Mix (20 Pieces each): 3518.18257

Material
Color

Silicon
Black / Mixed



Brake Noodles & Boots

- Featured 90° stainless V-Brake pipes with rubber cover included

- **Zipper Bag (10 Sets) -**

3518.22221

Size
Material
Color

Fits V-Brake
Stainless Noodle & Rubber Boot
Silver / Black



Cable O-Rings

- Fits 1.6 mm & smaller size of inner cables

- **Dispenser (200 Pieces) -**

3518.21241

- **Zipper Bag (200 Pieces) -**

3518.21242

Material
Color

TPR
Translucent



Shift Cable Tips

- ▶ Compatible with shift inner cables
- ▶ Fits 1.2 mm & small size Inner Cable

- **Dispenser (500 Pieces) -**
3518.12111
- **Zipper Bag (500 Pieces) -**
3518.12112

Material Alloy
Color Silver



Brake Cable Tips

- ▶ Compatible with brake inner cables
- ▶ Fits 1.8 mm & small size Inner Cable

- **Dispenser (500 Pieces) -**
3518.11111
- **Zipper Bag (500 Pieces) -**
3518.11112

Material Alloy
Color Silver



Cable Cutter

- ▶ High carbon steel makes this cable cutter super durable for ease of cutting cables, outer casings and cleaning

Material High Carbon Steel
Quantity 1 Piece

COLOR



3621.31101



HUANGS SMART CYCLING, INC.

4F-5, No. 3, Keji Rd., Dali Dist.,
Taichung City, Taiwan (R.O.C.) 41264
T. 886.4.2491.1998 / F. 886.4.2491.2589
info@ciclovation.com

Copyright 2020.08 CICLOVATION. All rights reserved.



www.ciclovation.com